



**CONSOLIDATED STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF
NCVT**

Academic Session - Aug 2015

All Semesters (CTS Semester System) Engineering Trades

Name	ABHISEKHA ROUT	Date of Birth	11-May-00
Father/Guardian Name	ASHOK KUMAR ROUT	Exam Month-Year	Jul 2017
Trade Name	Fitter	Trainee Type	REGULAR
ITI Name & Address	GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215		

S. No.	Semester	Paper-I		Paper-II		Paper-III		Practical		Total	
		Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured
1	Semester-1	220	184	180	158			300	261	700	603
2	Semester-2	170	88	135	110	95	54	300	283	700	535
3	Semester-3	170	88	85	54	95	61	300	279	650	482
4	Semester-4	170	125	85	80	95	61	300	288	650	554
	Total	730	485	485	402	285	176	1200	1111	2700	2174
	Average	182.5	121.3	121.3	100.5	95	58.7	300	277.8	675	543.5

* Minimum pass marks in Theory Subjects (Paper -I, Paper-II & Paper-III) in all semester is 40% and in Practical paper it is 60%.

RESULT: Pass

दिनांक/Date 24-Feb-18

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



**CONSOLIDATED STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF
NCVT**

Academic Session - Aug 2015

All Semesters (CTS Semester System) Engineering Trades

Name	ABINASH KAR	Date of Birth	20-Jun-98
Father/Guardian Name	RAJENDRA KAR	Exam Month-Year	Jul 2017
Trade Name	Fitter	Trainee Type	REGULAR
ITI Name & Address	GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215		

S. No.	Semester	Paper-I		Paper-II		Paper-III		Practical		Total	
		Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured
1	Semester-1	220	193	180	166			300	277	700	636
2	Semester-2	170	80	135	107	95	51	300	273	700	511
3	Semester-3	170	82	85	54	95	51	300	282	650	469
4	Semester-4	170	96	85	77	95	51	300	281	650	505
	Total	730	451	485	404	285	153	1200	1113	2700	2121
	Average	182.5	112.8	121.3	101	95	51	300	278.3	675	530.3

* Minimum pass marks in Theory Subjects (Paper -I, Paper-II & Paper-III) in all semester is 40% and in Practical paper it is 60%.


RESULT: Pass

दिनांक/Date 24-Feb-18

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



**CONSOLIDATED STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF
NCVT**

Academic Session - Aug 2015

All Semesters (CTS Semester System) Engineering Trades

Name	ANURAG MOHANTY	Date of Birth	21-May-98
Father/Guardian Name	AKSHAYA KUMAR MOHANTY	Exam Month-Year	Jul 2017
Trade Name	Fitter	Trainee Type	REGULAR
ITI Name & Address	GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215		

S. No.	Semester	Paper-I		Paper-II		Paper-III		Practical		Total	
		Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured
1	Semester-1	220	186	180	164			300	264	700	614
2	Semester-2	170	88	135	113	95	50	300	284	700	535
3	Semester-3	170	87	85	44	95	54	300	267	650	452
4	Semester-4	170	107	85	81	95	54	300	289	650	531
	Total	730	468	485	402	285	158	1200	1104	2700	2132
	Average	182.5	117	121.3	100.5	95	52.7	300	276	675	533

* Minimum pass marks in Theory Subjects (Paper -I, Paper-II & Paper-III) in all semester is 40% and in Practical paper it is 60%.

RESULT: Pass

दिनांक/Date 24-Feb-18


Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



**CONSOLIDATED STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF
NCVT**

Academic Session - Aug 2015

All Semesters (CTS Semester System) Engineering Trades

Name	ASHUTOSH SAHOO	Date of Birth	04-Mar-00
Father/Guardian Name	ANTARYAMI SAHOO	Exam Month-Year	Jul 2017
Trade Name	Fitter	Trainee Type	REGULAR
ITI Name & Address	GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215		

S. No.	Semester	Paper-I		Paper-II		Paper-III		Practical		Total	
		Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured
1	Semester-1	220	125	180	135			300	283	700	543
2	Semester-2	170	91	135	107	95	55	300	283	700	536
3	Semester-3	170	87	85	36	95	62	300	275	650	460
4	Semester-4	170	130	85	84	95	65	300	288	650	567
	Total	730	433	485	362	285	182	1200	1129	2700	2106
	Average	182.5	108.3	121.3	90.5	95	60.7	300	282.3	675	526.5

* Minimum pass marks in Theory Subjects (Paper -I, Paper-II & Paper-III) in all semester is 40% and in Practical paper it is 60%.

RESULT: Pass

दिनांक/Date 24-Feb-18

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



**CONSOLIDATED STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF
NCVT**

Academic Session - Aug 2015

All Semesters (CTS Semester System) Engineering Trades

Name	BENUDHAR HANSDAH	Date of Birth	08-Apr-99
Father/Guardian Name	SURYANANDA HANSDAH	Exam Month-Year	Jul 2017
Trade Name	Fitter	Trainee Type	REGULAR
ITI Name & Address	GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215		

S. No.	Semester	Paper-I		Paper-II		Paper-III		Practical		Total	
		Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured
1	Semester-1	220	154	180	168			300	281	700	603
2	Semester-2	170	98	135	105	95	59	300	294	700	556
3	Semester-3	170	94	85	41	95	49	300	270	650	454
4	Semester-4	170	118	85	84	95	65	300	285	650	552
	Total	730	464	485	398	285	173	1200	1130	2700	2165
	Average	182.5	116	121.3	99.5	95	57.7	300	282.5	675	541.3

* Minimum pass marks in Theory Subjects (Paper -I, Paper-II & Paper-III) in all semester is 40% and in Practical paper it is 60%.

RESULT: Pass

दिनांक/Date 24-Feb-18

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



**CONSOLIDATED STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF
NCVT**

Academic Session - Aug 2015

All Semesters (CTS Semester System) Engineering Trades

Name	CHATURBHUJA SETHI	Date of Birth	20-Apr-97
Father/Guardian Name	ABHIMANYU SETHI	Exam Month-Year	Jul 2017
Trade Name	Fitter	Trainee Type	REGULAR
ITI Name & Address	GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215		

S. No.	Semester	Paper-I		Paper-II		Paper-III		Practical		Total	
		Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured
1	Semester-1	220	167	180	163			300	268	700	598
2	Semester-2	170	91	135	109	95	55	300	287	700	542
3	Semester-3	170	63	85	39	95	45	300	264	650	411
4	Semester-4	170	71	85	82	95	58	300	270	650	481
	Total	730	392	485	393	285	158	1200	1089	2700	2032
	Average	182.5	98	121.3	98.3	95	52.7	300	272.3	675	508

* Minimum pass marks in Theory Subjects (Paper -I, Paper-II & Paper-III) in all semester is 40% and in Practical paper it is 60%.

RESULT: Pass

दिनांक/Date 24-Feb-18

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



**CONSOLIDATED STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF
NCVT**

Academic Session - Aug 2015

All Semesters (CTS Semester System) Engineering Trades

Name	CHINMAYA NAYAK	Date of Birth	15-May-98
Father/Guardian Name	KAPILENDRA NAYAK	Exam Month-Year	Jul 2017
Trade Name	Fitter	Trainee Type	REGULAR
ITI Name & Address	GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215		

S. No.	Semester	Paper-I		Paper-II		Paper-III		Practical		Total	
		Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured
1	Semester-1	220	160	180	171			300	275	700	606
2	Semester-2	170	96	135	112	95	56	300	294	700	558
3	Semester-3	170	91	85	56	95	57	300	280	650	484
4	Semester-4	170	104	85	84	95	61	300	291	650	540
	Total	730	451	485	423	285	174	1200	1140	2700	2188
	Average	182.5	112.8	121.3	105.8	95	58	300	285	675	547

* Minimum pass marks in Theory Subjects (Paper -I, Paper-II & Paper-III) in all semester is 40% and in Practical paper it is 60%.

RESULT: Pass

दिनांक/Date 24-Feb-18


Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



**CONSOLIDATED STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF
NCVT**

Academic Session - Aug 2015

All Semesters (CTS Semester System) Engineering Trades

Name	MANOJ KUMAR DASH	Date of Birth	26-Nov-96
Father/Guardian Name	KISHORE CHANDRA DASH	Exam Month-Year	Jul 2017
Trade Name	Fitter	Trainee Type	REGULAR
ITI Name & Address	GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215		

S. No.	Semester	Paper-I		Paper-II		Paper-III		Practical		Total	
		Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured
1	Semester-1	220	162	180	161			300	277	700	600
2	Semester-2	170	91	135	112	95	62	300	293	700	558
3	Semester-3	170	98	85	49	95	48	300	284	650	479
4	Semester-4	170	131	85	84	95	60	300	293	650	568
	Total	730	482	485	406	285	170	1200	1147	2700	2205
	Average	182.5	120.5	121.3	101.5	95	56.7	300	286.8	675	551.3

* Minimum pass marks in Theory Subjects (Paper -I, Paper-II & Paper-III) in all semester is 40% and in Practical paper it is 60%.

RESULT: Pass

दिनांक/Date 24-Feb-18

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



**CONSOLIDATED STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF
NCVT**

Academic Session - Aug 2015

All Semesters (CTS Semester System) Engineering Trades

Name	MUNISH	Date of Birth	13-Feb-97
Father/Guardian Name	LAXMIDHAR SETHI	Exam Month-Year	Jul 2017
Trade Name	Fitter	Trainee Type	REGULAR
ITI Name & Address	GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215		

S. No.	Semester	Paper-I		Paper-II		Paper-III		Practical		Total	
		Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured
1	Semester-1	220	165	180	157			300	255	700	577
2	Semester-2	170	90	135	109	95	59	300	288	700	546
3	Semester-3	170	96	85	39	95	48	300	275	650	458
4	Semester-4	170	115	85	82	95	62	300	271	650	530
	Total	730	466	485	387	285	169	1200	1089	2700	2111
	Average	182.5	116.5	121.3	96.8	95	56.3	300	272.3	675	527.8

* Minimum pass marks in Theory Subjects (Paper -I, Paper-II & Paper-III) in all semester is 40% and in Practical paper it is 60%.

RESULT: Pass

दिनांक/Date 24-Feb-18

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



**CONSOLIDATED STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF
NCVT**

Academic Session - Aug 2015

All Semesters (CTS Semester System) Engineering Trades

Name	RAJU NATH MARNDI	Date of Birth	20-Jan-00
Father/Guardian Name	MASOBARIAL MARNDI	Exam Month-Year	Jul 2017
Trade Name	Fitter	Trainee Type	REGULAR
ITI Name & Address	GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215		

S. No.	Semester	Paper-I		Paper-II		Paper-III		Practical		Total	
		Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured
1	Semester-1	220	157	180	142			300	273	700	572
2	Semester-2	170	91	135	70	95	60	300	292	700	513
3	Semester-3	170	75	85	40	95	54	300	270	650	439
4	Semester-4	170	85	85	80	95	60	300	288	650	513
	Total	730	408	485	332	285	174	1200	1123	2700	2037
	Average	182.5	102	121.3	83	95	58	300	280.8	675	509.3

* Minimum pass marks in Theory Subjects (Paper -I, Paper-II & Paper-III) in all semester is 40% and in Practical paper it is 60%.

RESULT: Pass

दिनांक/Date 24-Feb-18

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



**CONSOLIDATED STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF
NCVT**

Academic Session - Aug 2015

All Semesters (CTS Semester System) Engineering Trades

Name	RAM KUMAR HEMBRAM	Date of Birth	18-Mar-00
Father/Guardian Name	LATE MOHAN HEMBRAM	Exam Month-Year	Jul 2017
Trade Name	Fitter	Trainee Type	REGULAR
ITI Name & Address	GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215		

S. No.	Semester	Paper-I		Paper-II		Paper-III		Practical		Total	
		Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured
1	Semester-1	220	161	180	165			300	279	700	605
2	Semester-2	170	95	135	110	95	52	300	294	700	551
3	Semester-3	170	72	85	48	95	54	300	281	650	455
4	Semester-4	170	110	85	83	95	67	300	292	650	552
	Total	730	438	485	406	285	173	1200	1146	2700	2163
	Average	182.5	109.5	121.3	101.5	95	57.7	300	286.5	675	540.8

* Minimum pass marks in Theory Subjects (Paper -I, Paper-II & Paper-III) in all semester is 40% and in Practical paper it is 60%.

RESULT: Pass

दिनांक/Date 24-Feb-18

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



**CONSOLIDATED STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF
NCVT**

Academic Session - Aug 2015

All Semesters (CTS Semester System) Engineering Trades

Name	SALKHAN MURMU	Date of Birth	05-Mar-00
Father/Guardian Name	RUHYA MURMU	Exam Month-Year	Jul 2017
Trade Name	Fitter	Trainee Type	REGULAR
ITI Name & Address	GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215		

S. No.	Semester	Paper-I		Paper-II		Paper-III		Practical		Total	
		Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured
1	Semester-1	220	186	180	160			300	282	700	628
2	Semester-2	170	83	135	113	95	53	300	294	700	543
3	Semester-3	170	76	85	40	95	49	300	280	650	445
4	Semester-4	170	126	85	81	95	62	300	286	650	555
	Total	730	471	485	394	285	164	1200	1142	2700	2171
	Average	182.5	117.8	121.3	98.5	95	54.7	300	285.5	675	542.8

* Minimum pass marks in Theory Subjects (Paper -I, Paper-II & Paper-III) in all semester is 40% and in Practical paper it is 60%.

RESULT: Pass

दिनांक/Date 24-Feb-18


Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



**CONSOLIDATED STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF
NCVT**

Academic Session - Aug 2015

All Semesters (CTS Semester System) Engineering Trades

Name	SAUMYARANJAN PANDA	Date of Birth	16-Mar-00
Father/Guardian Name	RAMESH PANDA	Exam Month-Year	Jul 2017
Trade Name	Fitter	Trainee Type	REGULAR
ITI Name & Address	GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215		

S. No.	Semester	Paper-I		Paper-II		Paper-III		Practical		Total	
		Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured
1	Semester-1	220	182	180	163			300	272	700	617
2	Semester-2	170	101	135	121	95	47	300	284	700	553
3	Semester-3	170	82	85	56	95	48	300	269	650	455
4	Semester-4	170	113	85	82	95	61	300	286	650	542
	Total	730	478	485	422	285	156	1200	1111	2700	2167
	Average	182.5	119.5	121.3	105.5	95	52	300	277.8	675	541.8

* Minimum pass marks in Theory Subjects (Paper -I, Paper-II & Paper-III) in all semester is 40% and in Practical paper it is 60%.

RESULT: Pass

दिनांक/Date 24-Feb-18

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



**CONSOLIDATED STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF
NCVT**

Academic Session - Aug 2015

All Semesters (CTS Semester System) Engineering Trades

Name	SOUMYA RANJAN LENKA	Date of Birth	04-Aug-00
Father/Guardian Name	RANJAN KUMAR LENKA	Exam Month-Year	Jul 2017
Trade Name	Fitter	Trainee Type	REGULAR
ITI Name & Address	GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215		

S. No.	Semester	Paper-I		Paper-II		Paper-III		Practical		Total	
		Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured
1	Semester-1	220	186	180	166			300	277	700	629
2	Semester-2	170	83	135	115	95	55	300	293	700	546
3	Semester-3	170	87	85	52	95	55	300	289	650	483
4	Semester-4	170	112	85	84	95	55	300	292	650	543
	Total	730	468	485	417	285	165	1200	1151	2700	2201
	Average	182.5	117	121.3	104.3	95	55	300	287.8	675	550.3

* Minimum pass marks in Theory Subjects (Paper -I, Paper-II & Paper-III) in all semester is 40% and in Practical paper it is 60%.

RESULT: Pass

दिनांक/Date 24-Feb-18

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



**CONSOLIDATED STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF
NCVT**

Academic Session - Aug 2015

All Semesters (CTS Semester System) Engineering Trades

Name	SOUMYARANJAN SWAIN	Date of Birth	31-May-00
Father/Guardian Name	PRADEEP KUMAR SWAIN	Exam Month-Year	Jul 2017
Trade Name	Fitter	Trainee Type	REGULAR
ITI Name & Address	GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215		

S. No.	Semester	Paper-I		Paper-II		Paper-III		Practical		Total	
		Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured
1	Semester-1	220	185	180	161			300	274	700	620
2	Semester-2	170	79	135	116	95	57	300	288	700	540
3	Semester-3	170	71	85	55	95	46	300	284	650	456
4	Semester-4	170	98	85	83	95	53	300	291	650	525
	Total	730	433	485	415	285	156	1200	1137	2700	2141
	Average	182.5	108.3	121.3	103.8	95	52	300	284.3	675	535.3

* Minimum pass marks in Theory Subjects (Paper -I, Paper-II & Paper-III) in all semester is 40% and in Practical paper it is 60%.

RESULT: Pass

दिनांक/Date 24-Feb-18

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



**CONSOLIDATED STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF
NCVT**

Academic Session - Aug 2015

All Semesters (CTS Semester System) Engineering Trades

Name	SUSHANTA NAIK	Date of Birth	27-Feb-98
Father/Guardian Name	GANESWAR NAIK	Exam Month-Year	Jul 2017
Trade Name	Fitter	Trainee Type	REGULAR
ITI Name & Address	GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215		

S. No.	Semester	Paper-I		Paper-II		Paper-III		Practical		Total	
		Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured	Max Marks	Marks Secured
1	Semester-1	220	166	180	163			300	281	700	610
2	Semester-2	170	85	135	107	95	57	300	294	700	543
3	Semester-3	170	95	85	55	95	50	300	280	650	480
4	Semester-4	170	112	85	77	95	59	300	289	650	537
	Total	730	458	485	402	285	166	1200	1144	2700	2170
	Average	182.5	114.5	121.3	100.5	95	55.3	300	286	675	542.5

* Minimum pass marks in Theory Subjects (Paper -I, Paper-II & Paper-III) in all semester is 40% and in Practical paper it is 60%.

RESULT: Pass

दिनांक/Date 24-Feb-18


Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.