



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT
Academic Session - Aug 2015
Semester - 2 (CTS Semester System) Engineering Trades

Name ABHISEKHA ROUT Date of Birth 11-May-00
 Father/Guardian Name ASHOK KUMAR ROUT Exam Month-Year Jul 2016
 Trade Name Fitter Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	88	Trade Theory	150	37.5 (25)%	75
					Sessional	20		13
2	Paper-II	135	54 (40%)	110	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	68
					Sessional	10		7
					Part-B Employability Skills	50	12.5 (25)%	35
3	Paper-III	95	38 (40%)	54	Engg. Drawing	75	18.75 (25)%	41
					Sessional	20		13
4	Practical	300	180 (60%)	283	Trade Practical	270		258
					Sessional	30		25
Total		700		535	Total	700		535

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT

Academic Session - Aug 2015

Semester - 2 (CTS Semester System) Engineering Trades

Name ABINASH KAR Date of Birth 20-Jun-98
 Father/Guardian Name RAJENDRA KAR Exam Month-Year Jul 2016
 Trade Name Fitter Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	80	Trade Theory	150	37.5 (25)%	72
					Sessional	20		8
2	Paper-II	135	54 (40%)	107	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	68
					Sessional	10		4
					Part-B Employability Skills	50	12.5 (25)%	35
3	Paper-III	95	38 (40%)	51	Engg. Drawing	75	18.75 (25)%	43
					Sessional	20		8
4	Practical	300	180 (60%)	273	Trade Practical	270		255
					Sessional	30		18
Total		700		511	Total	700		511

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT

Academic Session - Aug 2015

Semester - 2 (CTS Semester System) Engineering Trades

Name ASHUTOSH SAHOO Date of Birth 04-Mar-00
 Father/Guardian Name ANTARYAMI SAHOO Exam Month-Year Jul 2016
 Trade Name Fitter Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	91	Trade Theory	150	37.5 (25)%	77
					Sessional	20		14
2	Paper-II	135	54 (40%)	107	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	68
					Sessional	10		6
					Part-B Employability Skills	50	12.5 (25)%	33
3	Paper-III	95	38 (40%)	55	Engg. Drawing	75	18.75 (25)%	43
					Sessional	20		12
4	Practical	300	180 (60%)	283	Trade Practical	270		259
					Sessional	30		24
Total		700		536	Total	700		536

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT

Academic Session - Aug 2015

Semester - 2 (CTS Semester System) Engineering Trades

Name BENUDHAR HANSDAH Date of Birth 08-Apr-99
 Father/Guardian Name SURYANANDA HANSDAH Exam Month-Year Jul 2016
 Trade Name Fitter Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	98	Trade Theory	150	37.5 (25)%	79
					Sessional	20		19
2	Paper-II	135	54 (40%)	105	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	60
					Sessional	10		10
					Part-B Employability Skills	50	12.5 (25)%	35
3	Paper-III	95	38 (40%)	59	Engg. Drawing	75	18.75 (25)%	41
					Sessional	20		18
4	Practical	300	180 (60%)	294	Trade Practical	270		265
					Sessional	30		29
Total		700		556	Total	700		556

RESULT DATE: 03-Nov-16RESULT: Passदिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT

Academic Session - Aug 2015

Semester - 2 (CTS Semester System) Engineering Trades

Name CHATURBHUJA SETHI Date of Birth 20-Apr-97
 Father/Guardian Name ABHIMANYU SETHI Exam Month-Year Jul 2016
 Trade Name Fitter Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	91	Trade Theory	150	37.5 (25)%	77
					Sessional	20		14
2	Paper-II	135	54 (40%)	109	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	68
					Sessional	10		6
					Part-B Employability Skills	50	12.5 (25)%	35
3	Paper-III	95	38 (40%)	55	Engg. Drawing	75	18.75 (25)%	43
					Sessional	20		12
4	Practical	300	180 (60%)	287	Trade Practical	270		262
					Sessional	30		25
Total		700		542	Total	700		542

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT
Academic Session - Aug 2015
Semester - 2 (CTS Semester System) Engineering Trades

Name CHINMAYA NAYAK Date of Birth 15-May-98
 Father/Guardian Name KAPILENDRA NAYAK Exam Month-Year Jul 2016
 Trade Name Fitter Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	96	Trade Theory	150	37.5 (25)%	77
					Sessional	20		19
2	Paper-II	135	54 (40%)	112	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	68
					Sessional	10		9
					Part-B Employability Skills	50	12.5 (25)%	35
3	Paper-III	95	38 (40%)	56	Engg. Drawing	75	18.75 (25)%	38
					Sessional	20		18
4	Practical	300	180 (60%)	294	Trade Practical	270		265
					Sessional	30		29
Total		700		558	Total	700		558

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT
Academic Session - Aug 2015
Semester - 2 (CTS Semester System) Engineering Trades

Name JOGAMAYAPRASAD KUND Date of Birth 09-Jan-00
 Father/Guardian Name ANADI CHARAN KUND Exam Month-Year Jul 2016
 Trade Name Fitter Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	90	Trade Theory	150	37.5 (25)%	79
					Sessional	20		11
2	Paper-II	135	54 (40%)	103	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	65
					Sessional	10		5
					Part-B Employability Skills	50	12.5 (25)%	33
3	Paper-III	95	38 (40%)	53	Engg. Drawing	75	18.75 (25)%	40
					Sessional	20		13
4	Practical	300	180 (60%)	283	Trade Practical	270		260
					Sessional	30		23
Total		700		529	Total	700		529

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT

Academic Session - Aug 2015

Semester - 2 (CTS Semester System) Engineering Trades

Name MANOJ KUMAR DASH Date of Birth 26-Nov-96
 Father/Guardian Name KISHORE CHANDRA DASH Exam Month-Year Jul 2016
 Trade Name Fitter Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	91	Trade Theory	150	37.5 (25)%	73
					Sessional	20		18
2	Paper-II	135	54 (40%)	112	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	68
					Sessional	10		9
					Part-B Employability Skills	50	12.5 (25)%	35
3	Paper-III	95	38 (40%)	62	Engg. Drawing	75	18.75 (25)%	45
					Sessional	20		17
4	Practical	300	180 (60%)	293	Trade Practical	270		265
					Sessional	30		28
Total		700		558	Total	700		558

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT
Academic Session - Aug 2015
Semester - 2 (CTS Semester System) Engineering Trades

Name MUNISH Date of Birth 13-Feb-97
 Father/Guardian Name LAXMIDHAR SETHI Exam Month-Year Jul 2016
 Trade Name Fitter Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	90	Trade Theory	150	37.5 (25)%	72
					Sessional	20		18
2	Paper-II	135	54 (40%)	109	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	68
					Sessional	10		8
					Part-B Employability Skills	50	12.5 (25)%	33
3	Paper-III	95	38 (40%)	59	Engg. Drawing	75	18.75 (25)%	42
					Sessional	20		17
4	Practical	300	180 (60%)	288	Trade Practical	270		260
					Sessional	30		28
Total		700		546	Total	700		546

RESULT DATE: 03-Nov-16RESULT: Passदिनांक/Date 04-Nov-16


Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT

Academic Session - Aug 2015

Semester - 2 (CTS Semester System) Engineering Trades

Name PARESH KUMAR NAYAK Date of Birth 14-Jun-98
 Father/Guardian Name RABINDRA KUMAR NAYAK Exam Month-Year Jul 2016
 Trade Name Fitter Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	85	Trade Theory	150	37.5 (25)%	77
					Sessional	20		8
2	Paper-II	135	54 (40%)	102	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	68
					Sessional	10		4
					Part-B Employability Skills	50	12.5 (25)%	30
3	Paper-III	95	38 (40%)	53	Engg. Drawing	75	18.75 (25)%	45
					Sessional	20		8
4	Practical	300	180 (60%)	273	Trade Practical	270		255
					Sessional	30		18
Total		700		513	Total	700		513

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT
Academic Session - Aug 2015
Semester - 2 (CTS Semester System) Engineering Trades

Name RAJU NATH MARNDI Date of Birth 20-Jan-00
 Father/Guardian Name MASOBARIAL MARNDI Exam Month-Year Jul 2016
 Trade Name Fitter Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	91	Trade Theory	150	37.5 (25)%	72
					Sessional	20		19
2	Paper-II	135	54 (40%)	70	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	30
					Sessional	10		10
					Part-B Employability Skills	50	12.5 (25)%	30
3	Paper-III	95	38 (40%)	60	Engg. Drawing	75	18.75 (25)%	42
					Sessional	20		18
4	Practical	300	180 (60%)	292	Trade Practical	270		264
					Sessional	30		28
Total		700		513	Total	700		513

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT

Academic Session - Aug 2015

Semester - 2 (CTS Semester System) Engineering Trades

Name RAM KUMAR HEMBRAM Date of Birth 18-Mar-00
 Father/Guardian Name LATE MOHAN HEMBRAM Exam Month-Year Jul 2016
 Trade Name Fitter Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	95	Trade Theory	150	37.5 (25)%	77
					Sessional	20		18
2	Paper-II	135	54 (40%)	110	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	68
					Sessional	10		9
					Part-B Employability Skills	50	12.5 (25)%	33
3	Paper-III	95	38 (40%)	52	Engg. Drawing	75	18.75 (25)%	34
					Sessional	20		18
4	Practical	300	180 (60%)	294	Trade Practical	270		266
					Sessional	30		28
Total		700		551	Total	700		551

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT
Academic Session - Aug 2015
Semester - 2 (CTS Semester System) Engineering Trades

Name SALKHAN MURMU Date of Birth 05-Mar-00
 Father/Guardian Name RUHYA MURMU Exam Month-Year Jul 2016
 Trade Name Fitter Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	83	Trade Theory	150	37.5 (25)%	64
					Sessional	20		19
2	Paper-II	135	54 (40%)	113	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	68
					Sessional	10		10
					Part-B Employability Skills	50	12.5 (25)%	35
3	Paper-III	95	38 (40%)	53	Engg. Drawing	75	18.75 (25)%	35
					Sessional	20		18
4	Practical	300	180 (60%)	294	Trade Practical	270		265
					Sessional	30		29
Total		700		543	Total	700		543

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT

Academic Session - Aug 2015

Semester - 2 (CTS Semester System) Engineering Trades

Name SAUMYARANJAN PANDA Date of Birth 16-Mar-00
 Father/Guardian Name RAMESH PANDA Exam Month-Year Jul 2016
 Trade Name Fitter Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	101	Trade Theory	150	37.5 (25)%	87
					Sessional	20		14
2	Paper-II	135	54 (40%)	121	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	72
					Sessional	10		6
					Part-B Employability Skills	50	12.5 (25)%	43
3	Paper-III	95	38 (40%)	47	Engg. Drawing	75	18.75 (25)%	34
					Sessional	20		13
4	Practical	300	180 (60%)	284	Trade Practical	270		259
					Sessional	30		25
Total		700		553	Total	700		553

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT
Academic Session - Aug 2015
Semester - 2 (CTS Semester System) Engineering Trades

Name SILU MALIK Date of Birth 05-Apr-99
 Father/Guardian Name ALEKHA MALIK Exam Month-Year Jul 2016
 Trade Name Fitter Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	82	Trade Theory	150	37.5 (25)%	68
					Sessional	20		14
2	Paper-II	135	54 (40%)	112	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	72
					Sessional	10		7
					Part-B Employability Skills	50	12.5 (25)%	33
3	Paper-III	95	38 (40%)	48	Engg. Drawing	75	18.75 (25)%	36
					Sessional	20		12
4	Practical	300	180 (60%)	287	Trade Practical	270		260
					Sessional	30		27
Total		700		529	Total	700		529

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT

Academic Session - Aug 2015

Semester - 2 (CTS Semester System) Engineering Trades

Name SOUMYA RANJAN LENKA Date of Birth 04-Aug-00
 Father/Guardian Name RANJAN KUMAR LENKA Exam Month-Year Jul 2016
 Trade Name Fitter Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	83	Trade Theory	150	37.5 (25)%	64
					Sessional	20		19
2	Paper-II	135	54 (40%)	115	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	72
					Sessional	10		10
					Part-B Employability Skills	50	12.5 (25)%	33
3	Paper-III	95	38 (40%)	55	Engg. Drawing	75	18.75 (25)%	37
					Sessional	20		18
4	Practical	300	180 (60%)	293	Trade Practical	270		264
					Sessional	30		29
Total		700		546	Total	700		546

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT

Academic Session - Aug 2015

Semester - 2 (CTS Semester System) Engineering Trades

Name SOUMYARANJAN SWAIN Date of Birth 31-May-00
 Father/Guardian Name PRADEEP KUMAR SWAIN Exam Month-Year Jul 2016
 Trade Name Fitter Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	79	Trade Theory	150	37.5 (25)%	61
					Sessional	20		18
2	Paper-II	135	54 (40%)	116	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	72
					Sessional	10		9
					Part-B Employability Skills	50	12.5 (25)%	35
3	Paper-III	95	38 (40%)	57	Engg. Drawing	75	18.75 (25)%	39
					Sessional	20		18
4	Practical	300	180 (60%)	288	Trade Practical	270		260
					Sessional	30		28
Total		700		540	Total	700		540

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT
Academic Session - Aug 2015
Semester - 2 (CTS Semester System) Engineering Trades

Name SUSHANTA NAIK Date of Birth 27-Feb-98
 Father/Guardian Name GANESWAR NAIK Exam Month-Year Jul 2016
 Trade Name Fitter Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	85	Trade Theory	150	37.5 (25)%	66
					Sessional	20		19
2	Paper-II	135	54 (40%)	107	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	64
					Sessional	10		10
					Part-B Employability Skills	50	12.5 (25)%	33
3	Paper-III	95	38 (40%)	57	Engg. Drawing	75	18.75 (25)%	39
					Sessional	20		18
4	Practical	300	180 (60%)	294	Trade Practical	270		265
					Sessional	30		29
Total		700		543	Total	700		543

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.

