



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT
Academic Session - Aug 2015
Semester - 2 (CTS Semester System) Engineering Trades

Name ABINASH MALLICK Date of Birth 11-Apr-00
 Father/Guardian Name MANMOHAN MALLICK Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	65 (G)	Trade Theory	150	37.5 (25)%	46
					Sessional	20		19
2	Paper-II	135	54 (40%)	102	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	60
					Sessional	10		9
					Part-B Employability Skills	50	12.5 (25)%	33
3	Paper-III	95	38 (40%)	52	Engg. Drawing	75	18.75 (25)%	33
					Sessional	20		19
4	Practical	300	180 (60%)	288	Trade Practical	270		260
					Sessional	30		28
Total		700		507	Total	700		507

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT
Academic Session - Aug 2015
Semester - 2 (CTS Semester System) Engineering Trades

Name ADITYA SAHOO Date of Birth 05-Apr-97
 Father/Guardian Name FAKIRCHARAN SAHOO Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	67 (G)	Trade Theory	150	37.5 (25)%	50
					Sessional	20		17
2	Paper-II	135	54 (40%)	99	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	57
					Sessional	10		9
					Part-B Employability Skills	50	12.5 (25)%	33
3	Paper-III	95	38 (40%)	59	Engg. Drawing	75	18.75 (25)%	40
					Sessional	20		19
4	Practical	300	180 (60%)	283	Trade Practical	270		255
					Sessional	30		28
Total		700		508	Total	700		508

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT
Academic Session - Aug 2015
Semester - 2 (CTS Semester System) Engineering Trades

Name AJIT KUMAR SENAPATI Date of Birth 10-Jul-99
 Father/Guardian Name ASHOK KUMAR SENAPATI Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	60 (F)	Trade Theory	150	37.5 (25)%	43
					Sessional	20		17
2	Paper-II	135	54 (40%)	101	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	64
					Sessional	10		9
					Part-B Employability Skills	50	12.5 (25)%	28
3	Paper-III	95	38 (40%)	52	Engg. Drawing	75	18.75 (25)%	34
					Sessional	20		18
4	Practical	300	180 (60%)	277	Trade Practical	270		250
					Sessional	30		27
Total		700		490	Total	700		490

RESULT DATE: 03-Nov-16

RESULT: Fail in : Paper-I

Eligible to Re-appear (RA): Yes

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT
Academic Session - Aug 2015
Semester - 2 (CTS Semester System) Engineering Trades

Name ALEKHA ROUT Date of Birth 01-Jun-96
 Father/Guardian Name BRAHMANANDA ROUT Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	67 (G)	Trade Theory	150	37.5 (25)%	49
					Sessional	20		18
2	Paper-II	135	54 (40%)	95	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	53
					Sessional	10		9
					Part-B Employability Skills	50	12.5 (25)%	33
3	Paper-III	95	38 (40%)	70	Engg. Drawing	75	18.75 (25)%	52
					Sessional	20		18
4	Practical	300	180 (60%)	280	Trade Practical	270		253
					Sessional	30		27
Total		700		512	Total	700		512

RESULT DATE: 03-Nov-16RESULT: Passदिनांक/Date 04-Nov-16


Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT
Academic Session - Aug 2015
Semester - 2 (CTS Semester System) Engineering Trades

Name ALOK MALIK Date of Birth 25-May-99
 Father/Guardian Name BIRAKISWAR MALIK Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	52 (F)	Trade Theory	150	37.5 (25)%	36 (F)
					Sessional	20		16
2	Paper-II	135	54 (40%)	94	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	57
					Sessional	10		9
					Part-B Employability Skills	50	12.5 (25)%	28
3	Paper-III	95	38 (40%)	54	Engg. Drawing	75	18.75 (25)%	37
					Sessional	20		17
4	Practical	300	180 (60%)	274	Trade Practical	270		248
					Sessional	30		26
Total		700		474	Total	700		474

RESULT DATE: 03-Nov-16RESULT: Fail in : Paper-IEligible to Re-appear (RA): Yesदिनांक/Date 04-Nov-16

 Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT
Academic Session - Aug 2015
Semester - 2 (CTS Semester System) Engineering Trades

Name ANATH MALIK Date of Birth 10-Feb-00
 Father/Guardian Name SANKARSAN MALIK Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	69	Trade Theory	150	37.5 (25)%	51
					Sessional	20		18
2	Paper-II	135	54 (40%)	101	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	64
					Sessional	10		9
					Part-B Employability Skills	50	12.5 (25)%	28
3	Paper-III	95	38 (40%)	49	Engg. Drawing	75	18.75 (25)%	31
					Sessional	20		18
4	Practical	300	180 (60%)	280	Trade Practical	270		252
					Sessional	30		28
Total		700		499	Total	700		499

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT

Academic Session - Aug 2015

Semester - 2 (CTS Semester System) Engineering Trades

Name ANIRUDHA BEHERA Date of Birth 12-Mar-00
 Father/Guardian Name ASHOK KUMAR BEHERA Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	62 (G)	Trade Theory	150	37.5 (25)%	45
					Sessional	20		17
2	Paper-II	135	54 (40%)	101	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	61
					Sessional	10		9
					Part-B Employability Skills	50	12.5 (25)%	31
3	Paper-III	95	38 (40%)	55	Engg. Drawing	75	18.75 (25)%	39
					Sessional	20		16
4	Practical	300	180 (60%)	274	Trade Practical	270		247
					Sessional	30		27
Total		700		492	Total	700		492

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT
Academic Session - Aug 2015
Semester - 2 (CTS Semester System) Engineering Trades

Name ANSUMAN TRIPATHY Date of Birth 15-May-98
 Father/Guardian Name BASUDEV TRIPATHY Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	52 (F)	Trade Theory	150	37.5 (25)%	34 (F)
					Sessional	20		18
2	Paper-II	135	54 (40%)	99	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	60
					Sessional	10		9
					Part-B Employability Skills	50	12.5 (25)%	30
3	Paper-III	95	38 (40%)	54	Engg. Drawing	75	18.75 (25)%	35
					Sessional	20		19
4	Practical	300	180 (60%)	280	Trade Practical	270		252
					Sessional	30		28
Total		700		485	Total	700		485

RESULT DATE: 03-Nov-16

RESULT: Fail in : Paper-I

Eligible to Re-appear (RA): Yes

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT

Academic Session - Aug 2015

Semester - 2 (CTS Semester System) Engineering Trades

Name ANANDA KUMAR MALIK Date of Birth 17-Feb-00
 Father/Guardian Name SURESH MALIK Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	62 (G)	Trade Theory	150	37.5 (25)%	46
					Sessional	20		16
2	Paper-II	135	54 (40%)	98	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	60
					Sessional	10		8
					Part-B Employability Skills	50	12.5 (25)%	30
3	Paper-III	95	38 (40%)	46	Engg. Drawing	75	18.75 (25)%	30
					Sessional	20		16
4	Practical	300	180 (60%)	275	Trade Practical	270		249
					Sessional	30		26
Total		700		481	Total	700		481

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT

Academic Session - Aug 2015

Semester - 2 (CTS Semester System) Engineering Trades

Name BAILOCHAN PADHI Date of Birth 03-Jun-94
 Father/Guardian Name NIMAI CHARAN PADHI Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	63 (G)	Trade Theory	150	37.5 (25)%	45
					Sessional	20		18
2	Paper-II	135	54 (40%)	101	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	64
					Sessional	10		9
					Part-B Employability Skills	50	12.5 (25)%	28
3	Paper-III	95	38 (40%)	60	Engg. Drawing	75	18.75 (25)%	42
					Sessional	20		18
4	Practical	300	180 (60%)	280	Trade Practical	270		251
					Sessional	30		29
Total		700		504	Total	700		504

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT
Academic Session - Aug 2015
Semester - 2 (CTS Semester System) Engineering Trades

Name BIDYADHAR KHATUA Date of Birth 24-Jun-99
 Father/Guardian Name BISWANATH KHATUA Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	63 (G)	Trade Theory	150	37.5 (25)%	45
					Sessional	20		18
2	Paper-II	135	54 (40%)	102	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	60
					Sessional	10		9
					Part-B Employability Skills	50	12.5 (25)%	33
3	Paper-III	95	38 (40%)	55	Engg. Drawing	75	18.75 (25)%	37
					Sessional	20		18
4	Practical	300	180 (60%)	286	Trade Practical	270		258
					Sessional	30		28
Total		700		506	Total	700		506

RESULT DATE: 03-Nov-16RESULT: Passदिनांक/Date 04-Nov-16


Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT
Academic Session - Aug 2015
Semester - 2 (CTS Semester System) Engineering Trades

Name BIJAYABHUSAN JENA Date of Birth 11-May-99
 Father/Guardian Name BIBEKANANDA JENA Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	61 (G)	Trade Theory	150	37.5 (25)%	42
					Sessional	20		19
2	Paper-II	135	54 (40%)	103	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	60
					Sessional	10		10
					Part-B Employability Skills	50	12.5 (25)%	33
3	Paper-III	95	38 (40%)	52	Engg. Drawing	75	18.75 (25)%	34
					Sessional	20		18
4	Practical	300	180 (60%)	289	Trade Practical	270		260
					Sessional	30		29
Total		700		505	Total	700		505

RESULT DATE: 03-Nov-16RESULT: Passदिनांक/Date 04-Nov-16


 Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT

Academic Session - Aug 2015

Semester - 2 (CTS Semester System) Engineering Trades

Name BIJOY MOHANTY Date of Birth 26-Jan-00
 Father/Guardian Name BISHNU CHARAN MOHANTY Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	58 (F)	Trade Theory	150	37.5 (25)%	42
					Sessional	20		16
2	Paper-II	135	54 (40%)	99	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	61
					Sessional	10		8
					Part-B Employability Skills	50	12.5 (25)%	30
3	Paper-III	95	38 (40%)	68	Engg. Drawing	75	18.75 (25)%	52
					Sessional	20		16
4	Practical	300	180 (60%)	272	Trade Practical	270		245
					Sessional	30		27
Total		700		497	Total	700		497

RESULT DATE: 03-Nov-16RESULT: Fail in : Paper-IEligible to Re-appear (RA): Yesदिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT

Academic Session - Aug 2015

Semester - 2 (CTS Semester System) Engineering Trades

Name BINOD CHANDRA NAYAK Date of Birth 10-Jul-99
 Father/Guardian Name GOURANGA CHANDRA NAYAK Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	62 (G)	Trade Theory	150	37.5 (25)%	45
					Sessional	20		17
2	Paper-II	135	54 (40%)	92	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	54
					Sessional	10		8
					Part-B Employability Skills	50	12.5 (25)%	30
3	Paper-III	95	38 (40%)	49	Engg. Drawing	75	18.75 (25)%	32
					Sessional	20		17
4	Practical	300	180 (60%)	273	Trade Practical	270		246
					Sessional	30		27
Total		700		476	Total	700		476

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT
Academic Session - Aug 2015
Semester - 2 (CTS Semester System) Engineering Trades

Name BISWORANJAN NAYAK Date of Birth 05-Jul-98
 Father/Guardian Name RATNAKAR NAYAK Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	65 (G)	Trade Theory	150	37.5 (25)%	49
					Sessional	20		16
2	Paper-II	135	54 (40%)	101	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	60
					Sessional	10		8
					Part-B Employability Skills	50	12.5 (25)%	33
3	Paper-III	95	38 (40%)	56	Engg. Drawing	75	18.75 (25)%	39
					Sessional	20		17
4	Practical	300	180 (60%)	273	Trade Practical	270		248
					Sessional	30		25
Total		700		495	Total	700		495

RESULT DATE: 03-Nov-16RESULT: Passदिनांक/Date 04-Nov-16


Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT
Academic Session - Aug 2015
Semester - 2 (CTS Semester System) Engineering Trades

Name CHANDAN DAS Date of Birth 20-Mar-98
 Father/Guardian Name MANAS DAS Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	68	Trade Theory	150	37.5 (25)%	49
					Sessional	20		19
2	Paper-II	135	54 (40%)	103	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	60
					Sessional	10		10
					Part-B Employability Skills	50	12.5 (25)%	33
3	Paper-III	95	38 (40%)	76	Engg. Drawing	75	18.75 (25)%	57
					Sessional	20		19
4	Practical	300	180 (60%)	288	Trade Practical	270		260
					Sessional	30		28
Total		700		535	Total	700		535

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT

Academic Session - Aug 2015

Semester - 2 (CTS Semester System) Engineering Trades

Name CHANDAN KUMAR KHILAR Date of Birth 03-Jul-98
 Father/Guardian Name ASHOK KUMAR KHILAR Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	64 (G)	Trade Theory	150	37.5 (25)%	45
					Sessional	20		19
2	Paper-II	135	54 (40%)	96	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	53
					Sessional	10		10
					Part-B Employability Skills	50	12.5 (25)%	33
3	Paper-III	95	38 (40%)	66	Engg. Drawing	75	18.75 (25)%	47
					Sessional	20		19
4	Practical	300	180 (60%)	291	Trade Practical	270		262
					Sessional	30		29
Total		700		517	Total	700		517

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT

Academic Session - Aug 2015

Semester - 2 (CTS Semester System) Engineering Trades

Name CHANDAN SETHI Date of Birth 17-Mar-00
 Father/Guardian Name SURESH SETHI Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	61 (G)	Trade Theory	150	37.5 (25)%	45
					Sessional	20		16
2	Paper-II	135	54 (40%)	101	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	57
					Sessional	10		9
					Part-B Employability Skills	50	12.5 (25)%	35
3	Paper-III	95	38 (40%)	53	Engg. Drawing	75	18.75 (25)%	36
					Sessional	20		17
4	Practical	300	180 (60%)	272	Trade Practical	270		247
					Sessional	30		25
Total		700		487	Total	700		487

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT

Academic Session - Aug 2015

Semester - 2 (CTS Semester System) Engineering Trades

Name CHITTARANJAN SAHOO Date of Birth 17-Jul-98
 Father/Guardian Name GAYADHAR SAHOO Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	67 (G)	Trade Theory	150	37.5 (25)%	49
					Sessional	20		18
2	Paper-II	135	54 (40%)	97	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	60
					Sessional	10		9
					Part-B Employability Skills	50	12.5 (25)%	28
3	Paper-III	95	38 (40%)	56	Engg. Drawing	75	18.75 (25)%	39
					Sessional	20		17
4	Practical	300	180 (60%)	276	Trade Practical	270		250
					Sessional	30		26
Total		700		496	Total	700		496

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT
Academic Session - Aug 2015
Semester - 2 (CTS Semester System) Engineering Trades

Name DEEPAK MALIK Date of Birth 02-Jan-00
 Father/Guardian Name ABHAYA MALIK Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	65 (G)	Trade Theory	150	37.5 (25)%	46
					Sessional	20		19
2	Paper-II	135	54 (40%)	101	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	60
					Sessional	10		8
					Part-B Employability Skills	50	12.5 (25)%	33
3	Paper-III	95	38 (40%)	52	Engg. Drawing	75	18.75 (25)%	34
					Sessional	20		18
4	Practical	300	180 (60%)	280	Trade Practical	270		252
					Sessional	30		28
Total		700		498	Total	700		498

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT

Academic Session - Aug 2015

Semester - 2 (CTS Semester System) Engineering Trades

Name GANESH CHANDRA BEHERA Date of Birth 16-May-93
 Father/Guardian Name BABUDHARA BEHERA Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	69	Trade Theory	150	37.5 (25)%	49
					Sessional	20		20
2	Paper-II	135	54 (40%)	102	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	60
					Sessional	10		9
					Part-B Employability Skills	50	12.5 (25)%	33
3	Paper-III	95	38 (40%)	73	Engg. Drawing	75	18.75 (25)%	55
					Sessional	20		18
4	Practical	300	180 (60%)	287	Trade Practical	270		258
					Sessional	30		29
Total		700		531	Total	700		531

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT
Academic Session - Aug 2015
Semester - 2 (CTS Semester System) Engineering Trades

Name GOUTTAM BEHERA Date of Birth 04-Mar-99
 Father/Guardian Name GAGAN BEHERA Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	64 (G)	Trade Theory	150	37.5 (25)%	49
					Sessional	20		15
2	Paper-II	135	54 (40%)	98	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	60
					Sessional	10		8
					Part-B Employability Skills	50	12.5 (25)%	30
3	Paper-III	95	38 (40%)	56	Engg. Drawing	75	18.75 (25)%	40
					Sessional	20		16
4	Practical	300	180 (60%)	270	Trade Practical	270		245
					Sessional	30		25
Total		700		488	Total	700		488

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT
Academic Session - Aug 2015
Semester - 2 (CTS Semester System) Engineering Trades

Name MANAS DAS Date of Birth 15-Dec-99
 Father/Guardian Name GOPAL DAS Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	61 (G)	Trade Theory	150	37.5 (25)%	45
					Sessional	20		16
2	Paper-II	135	54 (40%)	92	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	61
					Sessional	10		8
					Part-B Employability Skills	50	12.5 (25)%	23
3	Paper-III	95	38 (40%)	46	Engg. Drawing	75	18.75 (25)%	30
					Sessional	20		16
4	Practical	300	180 (60%)	267	Trade Practical	270		242
					Sessional	30		25
Total		700		466	Total	700		466

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT

Academic Session - Aug 2015

Semester - 2 (CTS Semester System) Engineering Trades

Name MANAS KUMAR KHILAR Date of Birth 26-May-99
 Father/Guardian Name MANI CHARAN KHILAR Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	59 (F)	Trade Theory	150	37.5 (25)%	42
					Sessional	20		17
2	Paper-II	135	54 (40%)	100	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	61
					Sessional	10		8
					Part-B Employability Skills	50	12.5 (25)%	31
3	Paper-III	95	38 (40%)	64	Engg. Drawing	75	18.75 (25)%	47
					Sessional	20		17
4	Practical	300	180 (60%)	278	Trade Practical	270		252
					Sessional	30		26
Total		700		501	Total	700		501

RESULT DATE: 03-Nov-16

RESULT: Fail in : Paper-I

Eligible to Re-appear (RA): Yes

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT
Academic Session - Aug 2015
Semester - 2 (CTS Semester System) Engineering Trades

Name MANAS KUMAR SAHOO Date of Birth 25-Apr-98
 Father/Guardian Name PRAFULLA KUMAR SAHOO Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	59 (F)	Trade Theory	150	37.5 (25)%	42
					Sessional	20		17
2	Paper-II	135	54 (40%)	100	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	61
					Sessional	10		8
					Part-B Employability Skills	50	12.5 (25)%	31
3	Paper-III	95	38 (40%)	54	Engg. Drawing	75	18.75 (25)%	38
					Sessional	20		16
4	Practical	300	180 (60%)	276	Trade Practical	270		250
					Sessional	30		26
Total		700		489	Total	700		489

RESULT DATE: 03-Nov-16

RESULT: Fail in : Paper-I

Eligible to Re-appear (RA): Yes

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT
Academic Session - Aug 2015
Semester - 2 (CTS Semester System) Engineering Trades

Name MANOJ KUMAR MALIK Date of Birth 10-May-98
 Father/Guardian Name KUMAR MALIK Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	64 (G)	Trade Theory	150	37.5 (25)%	45
					Sessional	20		19
2	Paper-II	135	54 (40%)	102	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	61
					Sessional	10		10
					Part-B Employability Skills	50	12.5 (25)%	31
3	Paper-III	95	38 (40%)	58	Engg. Drawing	75	18.75 (25)%	40
					Sessional	20		18
4	Practical	300	180 (60%)	289	Trade Practical	270		260
					Sessional	30		29
Total		700		513	Total	700		513

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT

Academic Session - Aug 2015

Semester - 2 (CTS Semester System) Engineering Trades

Name MANOJ KUMAR SAHOO Date of Birth 12-May-00
 Father/Guardian Name UMESH SAHOO Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	64 (G)	Trade Theory	150	37.5 (25)%	45
					Sessional	20		19
2	Paper-II	135	54 (40%)	97	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	57
					Sessional	10		9
					Part-B Employability Skills	50	12.5 (25)%	31
3	Paper-III	95	38 (40%)	60	Engg. Drawing	75	18.75 (25)%	43
					Sessional	20		17
4	Practical	300	180 (60%)	279	Trade Practical	270		251
					Sessional	30		28
Total		700		500	Total	700		500

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT

Academic Session - Aug 2015

Semester - 2 (CTS Semester System) Engineering Trades

Name MANORANJAN ROUT Date of Birth 08-Apr-96
 Father/Guardian Name GOURANGA ROUT Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	70	Trade Theory	150	37.5 (25)%	53
					Sessional	20		17
2	Paper-II	135	54 (40%)	103	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	64
					Sessional	10		9
					Part-B Employability Skills	50	12.5 (25)%	30
3	Paper-III	95	38 (40%)	60	Engg. Drawing	75	18.75 (25)%	43
					Sessional	20		17
4	Practical	300	180 (60%)	274	Trade Practical	270		248
					Sessional	30		26
Total		700		507	Total	700		507

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT
Academic Session - Aug 2015
Semester - 2 (CTS Semester System) Engineering Trades

Name NILAMBAR ROUT Date of Birth 05-Mar-89
 Father/Guardian Name GOURAHARI ROUT Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	65 (G)	Trade Theory	150	37.5 (25)%	47
					Sessional	20		18
2	Paper-II	135	54 (40%)	101	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	60
					Sessional	10		8
					Part-B Employability Skills	50	12.5 (25)%	33
3	Paper-III	95	38 (40%)	74	Engg. Drawing	75	18.75 (25)%	57
					Sessional	20		17
4	Practical	300	180 (60%)	281	Trade Practical	270		254
					Sessional	30		27
Total		700		521	Total	700		521

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT

Academic Session - Aug 2015

Semester - 2 (CTS Semester System) Engineering Trades

Name OM PRAKASH PARIDA Date of Birth 22-Jun-97
 Father/Guardian Name HRUSIKESH PARIDA Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	69	Trade Theory	150	37.5 (25)%	49
					Sessional	20		20
2	Paper-II	135	54 (40%)	100	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	57
					Sessional	10		10
					Part-B Employability Skills	50	12.5 (25)%	33
3	Paper-III	95	38 (40%)	71	Engg. Drawing	75	18.75 (25)%	52
					Sessional	20		19
4	Practical	300	180 (60%)	287	Trade Practical	270		258
					Sessional	30		29
Total		700		527	Total	700		527

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT
Academic Session - Aug 2015
Semester - 2 (CTS Semester System) Engineering Trades

Name PINTU SAMAL Date of Birth 14-Apr-00
 Father/Guardian Name CHAITANYA SAMAL Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	70	Trade Theory	150	37.5 (25)%	53
					Sessional	20		17
2	Paper-II	135	54 (40%)	102	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	60
					Sessional	10		9
					Part-B Employability Skills	50	12.5 (25)%	33
3	Paper-III	95	38 (40%)	65	Engg. Drawing	75	18.75 (25)%	48
					Sessional	20		17
4	Practical	300	180 (60%)	279	Trade Practical	270		252
					Sessional	30		27
Total		700		516	Total	700		516

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.

अनुक्रमांक: 00150821159960



Roll No.: 00150821159960



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT

Academic Session - Aug 2015

Semester - 2 (CTS Semester System) Engineering Trades

Name PRABIR DAS Date of Birth 07-Jun-98
 Father/Guardian Name PRATAP KUMAR DAS Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	67 (G)	Trade Theory	150	37.5 (25)%	50
					Sessional	20		17
2	Paper-II	135	54 (40%)	98	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	60
					Sessional	10		8
					Part-B Employability Skills	50	12.5 (25)%	30
3	Paper-III	95	38 (40%)	54	Engg. Drawing	75	18.75 (25)%	37
					Sessional	20		17
4	Practical	300	180 (60%)	277	Trade Practical	270		250
					Sessional	30		27
Total		700		496	Total	700		496

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT
Academic Session - Aug 2015
Semester - 2 (CTS Semester System) Engineering Trades

Name RAJESH KUMAR DAS Date of Birth 15-Mar-00
 Father/Guardian Name RANJIT KUMAR DAS Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	53 (F)	Trade Theory	150	37.5 (25)%	35 (F)
					Sessional	20		18
2	Paper-II	135	54 (40%)	101	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	60
					Sessional	10		8
					Part-B Employability Skills	50	12.5 (25)%	33
3	Paper-III	95	38 (40%)	48	Engg. Drawing	75	18.75 (25)%	31
					Sessional	20		17
4	Practical	300	180 (60%)	274	Trade Practical	270		247
					Sessional	30		27
Total		700		476	Total	700		476

RESULT DATE: 03-Nov-16

RESULT: Fail in : Paper-I

Eligible to Re-appear (RA): Yes

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT
Academic Session - Aug 2015
Semester - 2 (CTS Semester System) Engineering Trades

Name RATNAKAR MALIK Date of Birth 15-Aug-98
 Father/Guardian Name SARAT MALIK Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	58 (F)	Trade Theory	150	37.5 (25)%	42
					Sessional	20		16
2	Paper-II	135	54 (40%)	100	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	60
					Sessional	10		7
					Part-B Employability Skills	50	12.5 (25)%	33
3	Paper-III	95	38 (40%)	59	Engg. Drawing	75	18.75 (25)%	42
					Sessional	20		17
4	Practical	300	180 (60%)	277	Trade Practical	270		252
					Sessional	30		25
Total		700		494	Total	700		494

RESULT DATE: 03-Nov-16

RESULT: Fail in : Paper-I

Eligible to Re-appear (RA): Yes

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT

Academic Session - Aug 2015

Semester - 2 (CTS Semester System) Engineering Trades

Name SAMAR KUMAR NATH Date of Birth 18-Mar-00
 Father/Guardian Name MADHUSUDAN NATH Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	69	Trade Theory	150	37.5 (25)%	49
					Sessional	20		20
2	Paper-II	135	54 (40%)	103	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	60
					Sessional	10		10
					Part-B Employability Skills	50	12.5 (25)%	33
3	Paper-III	95	38 (40%)	63	Engg. Drawing	75	18.75 (25)%	44
					Sessional	20		19
4	Practical	300	180 (60%)	277	Trade Practical	270		248
					Sessional	30		29
Total		700		512	Total	700		512

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT

Academic Session - Aug 2015

Semester - 2 (CTS Semester System) Engineering Trades

Name SAROJ KUMAR DAS Date of Birth 20-Mar-98
 Father/Guardian Name NARENDRA DAS Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	67 (G)	Trade Theory	150	37.5 (25)%	50
					Sessional	20		17
2	Paper-II	135	54 (40%)	99	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	57
					Sessional	10		9
					Part-B Employability Skills	50	12.5 (25)%	33
3	Paper-III	95	38 (40%)	63	Engg. Drawing	75	18.75 (25)%	45
					Sessional	20		18
4	Practical	300	180 (60%)	278	Trade Practical	270		250
					Sessional	30		28
Total		700		507	Total	700		507

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT
Academic Session - Aug 2015
Semester - 2 (CTS Semester System) Engineering Trades

Name SATYABAN DAS Date of Birth 11-Mar-00
 Father/Guardian Name RAMA CHANDRA DAS Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	51 (F)	Trade Theory	150	37.5 (25)%	34 (F)
					Sessional	20		17
2	Paper-II	135	54 (40%)	106	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	64
					Sessional	10		9
					Part-B Employability Skills	50	12.5 (25)%	33
3	Paper-III	95	38 (40%)	50	Engg. Drawing	75	18.75 (25)%	33
					Sessional	20		17
4	Practical	300	180 (60%)	275	Trade Practical	270		248
					Sessional	30		27
Total		700		482	Total	700		482

RESULT DATE: 03-Nov-16

RESULT: Fail in : Paper-I

Eligible to Re-appear (RA): Yes

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.

अनुक्रमांक: 00150821159972



Roll No.: 00150821159972



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT
Academic Session - Aug 2015
Semester - 2 (CTS Semester System) Engineering Trades

Name SK SARFARAJ Date of Birth 06-Apr-00
 Father/Guardian Name SK SIRAJUL Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	63 (G)	Trade Theory	150	37.5 (25)%	45
					Sessional	20		18
2	Paper-II	135	54 (40%)	102	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	60
					Sessional	10		9
					Part-B Employability Skills	50	12.5 (25)%	33
3	Paper-III	95	38 (40%)	51	Engg. Drawing	75	18.75 (25)%	33
					Sessional	20		18
4	Practical	300	180 (60%)	290	Trade Practical	270		262
					Sessional	30		28
Total		700		506	Total	700		506

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT

Academic Session - Aug 2015

Semester - 2 (CTS Semester System) Engineering Trades

Name SOUMIYA RANJAN PALLAI Date of Birth 15-May-98
 Father/Guardian Name SANKARSAN PALLAI Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	67 (G)	Trade Theory	150	37.5 (25)%	49
					Sessional	20		18
2	Paper-II	135	54 (40%)	99	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	60
					Sessional	10		9
					Part-B Employability Skills	50	12.5 (25)%	30
3	Paper-III	95	38 (40%)	60	Engg. Drawing	75	18.75 (25)%	42
					Sessional	20		18
4	Practical	300	180 (60%)	281	Trade Practical	270		253
					Sessional	30		28
Total		700		507	Total	700		507

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT

Academic Session - Aug 2015

Semester - 2 (CTS Semester System) Engineering Trades

Name SOUMYARANJAN NAYAK Date of Birth 03-May-99
 Father/Guardian Name ASHOK KUMAR NAYAK Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	65 (G)	Trade Theory	150	37.5 (25)%	49
					Sessional	20		16
2	Paper-II	135	54 (40%)	101	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	60
					Sessional	10		8
					Part-B Employability Skills	50	12.5 (25)%	33
3	Paper-III	95	38 (40%)	51	Engg. Drawing	75	18.75 (25)%	36
					Sessional	20		15
4	Practical	300	180 (60%)	272	Trade Practical	270		247
					Sessional	30		25
Total		700		489	Total	700		489

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT

Academic Session - Aug 2015

Semester - 2 (CTS Semester System) Engineering Trades

Name SUBRAT KUMAR TARAI Date of Birth 25-May-96
 Father/Guardian Name PURUSOTTAM TARAI Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	71	Trade Theory	150	37.5 (25)%	53
					Sessional	20		18
2	Paper-II	135	54 (40%)	98	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	57
					Sessional	10		8
					Part-B Employability Skills	50	12.5 (25)%	33
3	Paper-III	95	38 (40%)	49	Engg. Drawing	75	18.75 (25)%	35
					Sessional	20		14
4	Practical	300	180 (60%)	279	Trade Practical	270		252
					Sessional	30		27
Total		700		497	Total	700		497

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT
Academic Session - Aug 2015
Semester - 2 (CTS Semester System) Engineering Trades

Name SUJAYA NAYAK Date of Birth 18-Jan-96
 Father/Guardian Name SUKADEB NAYAK Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	67 (G)	Trade Theory	150	37.5 (25)%	49
					Sessional	20		18
2	Paper-II	135	54 (40%)	101	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	60
					Sessional	10		8
					Part-B Employability Skills	50	12.5 (25)%	33
3	Paper-III	95	38 (40%)	56	Engg. Drawing	75	18.75 (25)%	38
					Sessional	20		18
4	Practical	300	180 (60%)	273	Trade Practical	270		245
					Sessional	30		28
Total		700		497	Total	700		497

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT

Academic Session - Aug 2015

Semester - 2 (CTS Semester System) Engineering Trades

Name SUPRIYA KUMAR SHARMA Date of Birth 05-Aug-00
 Father/Guardian Name ABHIRAM SHARMA Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	54 (F)	Trade Theory	150	37.5 (25)%	38
					Sessional	20		16
2	Paper-II	135	54 (40%)	86	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	49
					Sessional	10		7
					Part-B Employability Skills	50	12.5 (25)%	30
3	Paper-III	95	38 (40%)	57	Engg. Drawing	75	18.75 (25)%	42
					Sessional	20		15
4	Practical	300	180 (60%)	273	Trade Practical	270		248
					Sessional	30		25
Total		700		470	Total	700		470

RESULT DATE: 03-Nov-16

RESULT: Fail in : Paper-I

Eligible to Re-appear (RA): Yes

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT

Academic Session - Aug 2015

Semester - 2 (CTS Semester System) Engineering Trades

Name SUSANTA KUMAR BARIK Date of Birth 20-Jan-99
 Father/Guardian Name RANGADHAR BARIK Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	67 (G)	Trade Theory	150	37.5 (25)%	49
					Sessional	20		18
2	Paper-II	135	54 (40%)	102	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	60
					Sessional	10		9
					Part-B Employability Skills	50	12.5 (25)%	33
3	Paper-III	95	38 (40%)	57	Engg. Drawing	75	18.75 (25)%	39
					Sessional	20		18
4	Practical	300	180 (60%)	285	Trade Practical	270		257
					Sessional	30		28
Total		700		511	Total	700		511

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT

Academic Session - Aug 2015

Semester - 2 (CTS Semester System) Engineering Trades

Name TAPAS KUMAR SAHOO Date of Birth 02-Jun-98
 Father/Guardian Name BIJAYA KUMAR SAHOO Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	74	Trade Theory	150	37.5 (25)%	54
					Sessional	20		20
2	Paper-II	135	54 (40%)	103	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	60
					Sessional	10		10
					Part-B Employability Skills	50	12.5 (25)%	33
3	Paper-III	95	38 (40%)	63	Engg. Drawing	75	18.75 (25)%	44
					Sessional	20		19
4	Practical	300	180 (60%)	284	Trade Practical	270		255
					Sessional	30		29
Total		700		524	Total	700		524

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT
Academic Session - Aug 2015
Semester - 2 (CTS Semester System) Engineering Trades

Name SUJIT SENAPATI Date of Birth 05-Jun-99
 Father/Guardian Name JANMEJAY SENAPATI Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	71	Trade Theory	150	37.5 (25)%	57
					Sessional	20		14
2	Paper-II	135	54 (40%)	100	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	60
					Sessional	10		7
					Part-B Employability Skills	50	12.5 (25)%	33
3	Paper-III	95	38 (40%)	56	Engg. Drawing	75	18.75 (25)%	42
					Sessional	20		14
4	Practical	300	180 (60%)	274	Trade Practical	270		251
					Sessional	30		23
Total		700		501	Total	700		501

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT

Academic Session - Aug 2015

Semester - 2 (CTS Semester System) Engineering Trades

Name PRASANNAJIT SENAPATI Date of Birth 05-Jun-99
 Father/Guardian Name JANMEJAY SENAPATI Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	63 (G)	Trade Theory	150	37.5 (25)%	49
					Sessional	20		14
2	Paper-II	135	54 (40%)	100	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	60
					Sessional	10		7
					Part-B Employability Skills	50	12.5 (25)%	33
3	Paper-III	95	38 (40%)	58	Engg. Drawing	75	18.75 (25)%	44
					Sessional	20		14
4	Practical	300	180 (60%)	273	Trade Practical	270		250
					Sessional	30		23
Total		700		494	Total	700		494

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT
Academic Session - Aug 2015
Semester - 2 (CTS Semester System) Engineering Trades

Name SHUVAM JENA Date of Birth 19-May-00
 Father/Guardian Name NRUSINGH CHARAN JENA Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	63 (G)	Trade Theory	150	37.5 (25)%	49
					Sessional	20		14
2	Paper-II	135	54 (40%)	100	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	60
					Sessional	10		7
					Part-B Employability Skills	50	12.5 (25)%	33
3	Paper-III	95	38 (40%)	47	Engg. Drawing	75	18.75 (25)%	32
					Sessional	20		15
4	Practical	300	180 (60%)	276	Trade Practical	270		253
					Sessional	30		23
Total		700		486	Total	700		486

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT
Academic Session - Aug 2015
Semester - 2 (CTS Semester System) Engineering Trades

Name DASARATHA SETHI Date of Birth 25-May-98
 Father/Guardian Name GURU CHARAN SETHI Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	61 (G)	Trade Theory	150	37.5 (25)%	43
					Sessional	20		18
2	Paper-II	135	54 (40%)	101	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	60
					Sessional	10		8
					Part-B Employability Skills	50	12.5 (25)%	33
3	Paper-III	95	38 (40%)	58	Engg. Drawing	75	18.75 (25)%	41
					Sessional	20		17
4	Practical	300	180 (60%)	275	Trade Practical	270		248
					Sessional	30		27
Total		700		495	Total	700		495

RESULT DATE: 03-Nov-16RESULT: Passदिनांक/Date 04-Nov-16


 Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT
Academic Session - Aug 2015
Semester - 2 (CTS Semester System) Engineering Trades

Name KIRTIRANJAN BEJ Date of Birth 10-Nov-99
 Father/Guardian Name KAILASH CHANDRA BEJ Exam Month-Year Jul 2016
 Trade Name Plumber Trainee Type REGULAR
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	63 (G)	Trade Theory	150	37.5 (25)%	45
					Sessional	20		18
2	Paper-II	135	54 (40%)	100	Part-A Workshop Cal. & Sci.	75	18.75 (25)%	61
					Sessional	10		8
					Part-B Employability Skills	50	12.5 (25)%	31
3	Paper-III	95	38 (40%)	49	Engg. Drawing	75	18.75 (25)%	32
					Sessional	20		17
4	Practical	300	180 (60%)	274	Trade Practical	270		247
					Sessional	30		27
Total		700		486	Total	700		486

RESULT DATE: 03-Nov-16RESULT: Passदिनांक/Date 04-Nov-16


Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.

