



**STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT**  
**Academic Session - Aug 2014**  
**Semester - 4 (CTS Semester System) Engineering Trades**

Name ABINASH SUTAR Date of Birth 04-Jan-98  
 Father/Guardian Name PRAVAKAR SUTAR Exam Month-Year Jul 2016  
 Trade Name Fitter Trainee Type REGULAR  
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	83	Trade Theory	150	37.5 (25)%	64
					Sessional	20		19
2	Paper-II	85	34 (40%)	85	Workshop Cal. & Sci.	75	18.75 (25)%	75
					Sessional	10		10
3	Paper-III	95	38 (40%)	59	Engg. Drawing	75	18.75 (25)%	40
					Sessional	20		19
4	Practical	300	180 (60%)	298	Trade Practical	270		269
					Sessional	30		29
<b>Total</b>		<b>650</b>		<b>525</b>	<b>Total</b>	<b>650</b>		<b>525</b>

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

  
 Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



**STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT**  
**Academic Session - Aug 2014**  
**Semester - 4 (CTS Semester System) Engineering Trades**

Name BIKRAM KUMAR DAS Date of Birth 06-Apr-99  
 Father/Guardian Name BIJAYA KUMAR DAS Exam Month-Year Jul 2016  
 Trade Name Fitter Trainee Type REGULAR  
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	78	Trade Theory	150	37.5 (25)%	60
					Sessional	20		18
2	Paper-II	85	34 (40%)	84	Workshop Cal. & Sci.	75	18.75 (25)%	75
					Sessional	10		9
3	Paper-III	95	38 (40%)	55	Engg. Drawing	75	18.75 (25)%	38
					Sessional	20		17
4	Practical	300	180 (60%)	290	Trade Practical	270		262
					Sessional	30		28
<b>Total</b>		<b>650</b>		<b>507</b>	<b>Total</b>	<b>650</b>		<b>507</b>

RESULT DATE: 03-Nov-16RESULT: Passदिनांक/Date 04-Nov-16

  
 Member Secretary NCVT

*This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.*

*The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.*



**STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT**  
**Academic Session - Aug 2014**  
**Semester - 4 (CTS Semester System) Engineering Trades**

Name BIMAL KUMAR DAS Date of Birth 05-Jul-99  
 Father/Guardian Name KAPIL CHANDRA DAS Exam Month-Year Jul 2016  
 Trade Name Fitter Trainee Type REGULAR  
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	80	Trade Theory	150	37.5 (25)%	62
					Sessional	20		18
2	Paper-II	85	34 (40%)	81	Workshop Cal. & Sci.	75	18.75 (25)%	72
					Sessional	10		9
3	Paper-III	95	38 (40%)	59	Engg. Drawing	75	18.75 (25)%	42
					Sessional	20		17
4	Practical	300	180 (60%)	290	Trade Practical	270		262
					Sessional	30		28
<b>Total</b>		<b>650</b>		<b>510</b>	<b>Total</b>	<b>650</b>		<b>510</b>

RESULT DATE: 03-Nov-16RESULT: Passदिनांक/Date 04-Nov-16

  
 Member Secretary NCVT

*This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.*

*The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.*



**STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT**  
**Academic Session - Aug 2014**  
**Semester - 4 (CTS Semester System) Engineering Trades**

Name BISWAKANTAMANI DASH Date of Birth 15-Jun-96  
 Father/Guardian Name PRAHALLAD PRASAD DASH Exam Month-Year Jul 2016  
 Trade Name Fitter Trainee Type REGULAR  
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	74	Trade Theory	150	37.5 (25)%	57
					Sessional	20		17
2	Paper-II	85	34 (40%)	85	Workshop Cal. & Sci.	75	18.75 (25)%	75
					Sessional	10		10
3	Paper-III	95	38 (40%)	55	Engg. Drawing	75	18.75 (25)%	38
					Sessional	20		17
4	Practical	300	180 (60%)	288	Trade Practical	270		260
					Sessional	30		28
<b>Total</b>		<b>650</b>		<b>502</b>	<b>Total</b>	<b>650</b>		<b>502</b>

RESULT DATE: 03-Nov-16RESULT: Passदिनांक/Date 04-Nov-16

  
 Member Secretary NCVT

*This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.*

*The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.*



**STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT**  
**Academic Session - Aug 2014**  
**Semester - 4 (CTS Semester System) Engineering Trades**

Name DEBASHISH SAHOO Date of Birth 01-Jul-98  
 Father/Guardian Name MAHESWAR SAHOO Exam Month-Year Jul 2016  
 Trade Name Fitter Trainee Type REGULAR  
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	86	Trade Theory	150	37.5 (25)%	68
					Sessional	20		18
2	Paper-II	85	34 (40%)	85	Workshop Cal. & Sci.	75	18.75 (25)%	75
					Sessional	10		10
3	Paper-III	95	38 (40%)	57	Engg. Drawing	75	18.75 (25)%	39
					Sessional	20		18
4	Practical	300	180 (60%)	293	Trade Practical	270		265
					Sessional	30		28
<b>Total</b>		<b>650</b>		<b>521</b>	<b>Total</b>	<b>650</b>		<b>521</b>

RESULT DATE: 03-Nov-16RESULT: Passदिनांक/Date 04-Nov-16
  
 Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



**STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT**  
**Academic Session - Aug 2014**  
**Semester - 4 (CTS Semester System) Engineering Trades**

Name DILEN KUMAR SETHI Date of Birth 05-Apr-99  
 Father/Guardian Name SHYAM SUNDAR SETHI Exam Month-Year Jul 2016  
 Trade Name Fitter Trainee Type REGULAR  
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	86	Trade Theory	150	37.5 (25)%	68
					Sessional	20		18
2	Paper-II	85	34 (40%)	84	Workshop Cal. & Sci.	75	18.75 (25)%	75
					Sessional	10		9
3	Paper-III	95	38 (40%)	54	Engg. Drawing	75	18.75 (25)%	36
					Sessional	20		18
4	Practical	300	180 (60%)	295	Trade Practical	270		267
					Sessional	30		28
<b>Total</b>		<b>650</b>		<b>519</b>	<b>Total</b>	<b>650</b>		<b>519</b>

RESULT DATE: 03-Nov-16RESULT: Passदिनांक/Date 04-Nov-16
  
 Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



**STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT**  
**Academic Session - Aug 2014**  
**Semester - 4 (CTS Semester System) Engineering Trades**

Name JITENDRA PRASAD TRIPATHY Date of Birth 07-May-99  
 Father/Guardian Name DHIRENDRA NATH TRIPATHY Exam Month-Year Jul 2016  
 Trade Name Fitter Trainee Type REGULAR  
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	71	Trade Theory	150	37.5 (25)%	53
					Sessional	20		18
2	Paper-II	85	34 (40%)	81	Workshop Cal. & Sci.	75	18.75 (25)%	72
					Sessional	10		9
3	Paper-III	95	38 (40%)	59	Engg. Drawing	75	18.75 (25)%	42
					Sessional	20		17
4	Practical	300	180 (60%)	288	Trade Practical	270		260
					Sessional	30		28
<b>Total</b>		<b>650</b>		<b>499</b>	<b>Total</b>	<b>650</b>		<b>499</b>

RESULT DATE: 03-Nov-16RESULT: Passदिनांक/Date 04-Nov-16

  
 Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



## STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT

Academic Session - Aug 2014

Semester - 4 (CTS Semester System) Engineering Trades

Name KAMALAKANTA ROUT Date of Birth 25-Oct-97  
 Father/Guardian Name SARAT CHANDRA ROUT Exam Month-Year Jul 2016  
 Trade Name Fitter Trainee Type REGULAR  
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	78	Trade Theory	150	37.5 (25)%	61
					Sessional	20		17
2	Paper-II	85	34 (40%)	84	Workshop Cal. & Sci.	75	18.75 (25)%	75
					Sessional	10		9
3	Paper-III	95	38 (40%)	57	Engg. Drawing	75	18.75 (25)%	40
					Sessional	20		17
4	Practical	300	180 (60%)	290	Trade Practical	270		262
					Sessional	30		28
<b>Total</b>		<b>650</b>		<b>509</b>	<b>Total</b>	<b>650</b>		<b>509</b>

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.





**STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT**  
**Academic Session - Aug 2014**  
**Semester - 4 (CTS Semester System) Engineering Trades**

Name NIRMAL KUMAR ROUT Date of Birth 02-Sep-96  
 Father/Guardian Name ARUPANANDA ROUT Exam Month-Year Jul 2016  
 Trade Name Fitter Trainee Type REGULAR  
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	76	Trade Theory	150	37.5 (25)%	57
					Sessional	20		19
2	Paper-II	85	34 (40%)	85	Workshop Cal. & Sci.	75	18.75 (25)%	75
					Sessional	10		10
3	Paper-III	95	38 (40%)	60	Engg. Drawing	75	18.75 (25)%	41
					Sessional	20		19
4	Practical	300	180 (60%)	297	Trade Practical	270		268
					Sessional	30		29
<b>Total</b>		<b>650</b>		<b>518</b>	<b>Total</b>	<b>650</b>		<b>518</b>

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

  
 Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



**STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT**  
**Academic Session - Aug 2014**  
**Semester - 4 (CTS Semester System) Engineering Trades**

Name PRASANTA KUMAR MALIK Date of Birth 17-Apr-98  
 Father/Guardian Name PRAFULLA MALIK Exam Month-Year Jul 2016  
 Trade Name Fitter Trainee Type REGULAR  
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	70	Trade Theory	150	37.5 (25)%	57
					Sessional	20		13
2	Paper-II	85	34 (40%)	83	Workshop Cal. & Sci.	75	18.75 (25)%	75
					Sessional	10		8
3	Paper-III	95	38 (40%)	59	Engg. Drawing	75	18.75 (25)%	43
					Sessional	20		16
4	Practical	300	180 (60%)	284	Trade Practical	270		258
					Sessional	30		26
<b>Total</b>		<b>650</b>		<b>496</b>	<b>Total</b>	<b>650</b>		<b>496</b>

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

  
 Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



**STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT**  
**Academic Session - Aug 2014**  
**Semester - 4 (CTS Semester System) Engineering Trades**

Name RAJESH KUMAR MALIK Date of Birth 31-May-99  
 Father/Guardian Name RANJIT MALIK Exam Month-Year Jul 2016  
 Trade Name Fitter Trainee Type REGULAR  
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	72	Trade Theory	150	37.5 (25)%	57
					Sessional	20		15
2	Paper-II	85	34 (40%)	83	Workshop Cal. & Sci.	75	18.75 (25)%	75
					Sessional	10		8
3	Paper-III	95	38 (40%)	61	Engg. Drawing	75	18.75 (25)%	45
					Sessional	20		16
4	Practical	300	180 (60%)	284	Trade Practical	270		258
					Sessional	30		26
<b>Total</b>		<b>650</b>		<b>500</b>	<b>Total</b>	<b>650</b>		<b>500</b>

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

  
 Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



## STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT

Academic Session - Aug 2014

Semester - 4 (CTS Semester System) Engineering Trades

Name RAKESH CHANDRA PRADHAN Date of Birth 10-Jun-99  
 Father/Guardian Name RAMESH CHANDRA PRADHAN Exam Month-Year Jul 2016  
 Trade Name Fitter Trainee Type REGULAR  
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	76	Trade Theory	150	37.5 (25)%	60
					Sessional	20		16
2	Paper-II	85	34 (40%)	83	Workshop Cal. & Sci.	75	18.75 (25)%	75
					Sessional	10		8
3	Paper-III	95	38 (40%)	58	Engg. Drawing	75	18.75 (25)%	42
					Sessional	20		16
4	Practical	300	180 (60%)	287	Trade Practical	270		260
					Sessional	30		27
<b>Total</b>		<b>650</b>		<b>504</b>	<b>Total</b>	<b>650</b>		<b>504</b>

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



## STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT

Academic Session - Aug 2014

Semester - 4 (CTS Semester System) Engineering Trades

Name SAUBHAGYA RANJAN SWAIN Date of Birth 14-Mar-99  
 Father/Guardian Name ARJUNI CHARAN SWAIN Exam Month-Year Jul 2016  
 Trade Name Fitter Trainee Type REGULAR  
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	84	Trade Theory	150	37.5 (25)%	68
					Sessional	20		16
2	Paper-II	85	34 (40%)	80	Workshop Cal. & Sci.	75	18.75 (25)%	72
					Sessional	10		8
3	Paper-III	95	38 (40%)	59	Engg. Drawing	75	18.75 (25)%	43
					Sessional	20		16
4	Practical	300	180 (60%)	286	Trade Practical	270		259
					Sessional	30		27
<b>Total</b>		<b>650</b>		<b>509</b>	<b>Total</b>	<b>650</b>		<b>509</b>

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



**STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT**  
**Academic Session - Aug 2014**  
**Semester - 4 (CTS Semester System) Engineering Trades**

Name SUBHAKANTA SAHOO Date of Birth 10-Jun-99  
 Father/Guardian Name NIRAKAR SAHOO Exam Month-Year Jul 2016  
 Trade Name Fitter Trainee Type REGULAR  
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	83	Trade Theory	150	37.5 (25)%	64
					Sessional	20		19
2	Paper-II	85	34 (40%)	85	Workshop Cal. & Sci.	75	18.75 (25)%	75
					Sessional	10		10
3	Paper-III	95	38 (40%)	61	Engg. Drawing	75	18.75 (25)%	42
					Sessional	20		19
4	Practical	300	180 (60%)	298	Trade Practical	270		269
					Sessional	30		29
<b>Total</b>		<b>650</b>		<b>527</b>	<b>Total</b>	<b>650</b>		<b>527</b>

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

  
 Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



**STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT**  
**Academic Session - Aug 2014**  
**Semester - 4 (CTS Semester System) Engineering Trades**

Name SUSHANTA KUMAR DAS Date of Birth 02-Mar-99  
 Father/Guardian Name AJAYA KUMAR DAS Exam Month-Year Jul 2016  
 Trade Name Fitter Trainee Type REGULAR  
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	86	Trade Theory	150	37.5 (25)%	68
					Sessional	20		18
2	Paper-II	85	34 (40%)	85	Workshop Cal. & Sci.	75	18.75 (25)%	75
					Sessional	10		10
3	Paper-III	95	38 (40%)	58	Engg. Drawing	75	18.75 (25)%	40
					Sessional	20		18
4	Practical	300	180 (60%)	296	Trade Practical	270		268
					Sessional	30		28
<b>Total</b>		<b>650</b>		<b>525</b>	<b>Total</b>	<b>650</b>		<b>525</b>

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

  
 Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



**STATEMENT OF MARKS FOR AITT CONDUCTED UNDER THE AEGIES OF NCVT**  
**Academic Session - Aug 2014**  
**Semester - 4 (CTS Semester System) Engineering Trades**

Name TAPAN KUMAR SETHI Date of Birth 09-Jun-96  
 Father/Guardian Name AMULYA CHARAN SETHI Exam Month-Year Jul 2016  
 Trade Name Fitter Trainee Type REGULAR  
 ITI Name & Address GU21000518-State Institute of Plumbing Technology, Pattamundai At-Chahapada, Po- Matia Kendrapara, Odisha 754215

S. No.	Paper	Paper Max. Marks	Paper Min. Marks	Total Marks Secured	Subject	Subject Max. Marks	Subject Min. Marks	Marks Secured
1	Paper-I	170	68 (40%)	78	Trade Theory	150	37.5 (25)%	64
					Sessional	20		14
2	Paper-II	85	34 (40%)	84	Workshop Cal. & Sci.	75	18.75 (25)%	75
					Sessional	10		9
3	Paper-III	95	38 (40%)	56	Engg. Drawing	75	18.75 (25)%	40
					Sessional	20		16
4	Practical	300	180 (60%)	291	Trade Practical	270		265
					Sessional	30		26
<b>Total</b>		<b>650</b>		<b>509</b>	<b>Total</b>	<b>650</b>		<b>509</b>

RESULT DATE: 03-Nov-16

RESULT: Pass

दिनांक/Date 04-Nov-16

  
 Member Secretary NCVT

This is a computer generated Mark Sheet and it does not require any physical signature or attestation. All contents of this Mark Sheet can be verified for authenticity by the process of online verification through scanning the QR code printed above. The verification can also be done by visiting NCVT MIS portal (<http://ncvtmis.gov.in/Pages/MarkSheet/Validate.aspx>) and entering the roll number.

The NCVT shall not be responsible for any direct or indirect financial losses, any loss of goodwill or reputation, or any other loss or damage caused by any incorrect / fraudulent information in this computer generated certificate that cannot be validated by the NCVT MIS portal. NCVT also reserves the right to take appropriate legal action in such cases.



